

COMMERCIAL

# rozol<sup>®</sup> MD RTU

## Field Rodent Bait Ready-To-Use

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

GUARANTEE: Chlorphacinone..... 0.005%

WARNING, CONTAINS THE ALLERGEN WHEAT

REGISTRATION NO. 29545

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** See side panel for additional precautionary statements.

# LIPHA<sup>®</sup>TECH

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
(414) 351-1476

### PRECAUTIONARY STATEMENTS

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Chemical resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical resistant gloves when handling this product.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

**FIRST AID:** If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control centre or doctor for further treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**For all cases of human ingestion,** immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Vitamin K<sub>1</sub> in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

### STORAGE AND DISPOSAL

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original, tightly sealed container, in a secure location inaccessible to children and non-target animals.

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

**RODENT DISPOSAL:** Dispose of dead rodents in garbage or by burying.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Reg. No. 29545

Product No. 84332

Pest Control Products Act

DATE 01/10

### DIRECTIONS FOR USE

Rozol<sup>®</sup> RTU Field Rodent Bait may be used for the control of Pocket Gophers (*Thomomys spp. and Geomys spp.*) on lawns, golf courses, range land, and similar non-crop areas and Ground Squirrels in rangelands, crop and non-crop areas.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

**GROUND SQUIRRELS** (Richardson, Columbian, Franklin's and Thirteen-lined):

**Areas of Use - Ground Squirrels:** Ground squirrels typically inhabit rangeland vegetation, seed crops and areas directly adjacent to crops. Even though ground squirrels are foraging animals, placement of baits directly into the burrows or the use of bait stations is desirable to reduce hazards to non target animals.

**Application Directions - Ground Squirrels: Hand Baiting:** Locate all the ground squirrel burrows in the area of treatment and place 7 to 14 grams of bait into each burrow. Re-visit the site within 48 hours and re-bait all burrows where bait has been consumed or removed. Do not re-bait burrows where the bait has been undisturbed. Remove and bury any squirrel carcasses which are present above ground. A third re-baiting visit may be necessary for complete control.

**Bait Station Baiting:** Determine the approximate population present by visual count over a two day period. In areas where the ground squirrel is present, establish protected bait stations or tamper resistant boxes with an entrance hole of 7.6 cm using 1 station for every 50 animals counted. Place 500 grams of bait into the stations and check daily. Maintain an uninterrupted supply for 3 weeks or until all signs of feeding have stopped. In areas where ground squirrels have been known to inhabit, but are not currently present, preventative baiting in stations can be accomplished by placing stations containing 500 grams of bait every 30-60 m. Replace spoiled or moldy bait as necessary. Remove and bury any squirrel carcasses which are present above ground.

**POCKET GOPHERS** (*Thomomys spp. and Geomys spp.*):


**Areas of Use - Pocket Gophers:** Pocket gophers throw out low, fan-shaped mounds on either side of their underground burrows. These lateral tunnels come to the surface are on the flat side of the fan, and the entrance holes are plugged with loose soil.

**Application Directions - Pocket Gophers:** Placement of the bait can be made in one or both of the following ways.

1. With a long-handled spoon, carefully remove the plug on the flat side of the fan. Carefully insert 15 grams of bait as far down into the hole as possible. Replace the soil plug to close the burrow, with care so that the bait is NOT covered with soil.

2. Using a metal rod, probe 15-30 cm deep (6-12 inches) to locate the main tunnel. Consult diagram below for location to probe. Drop 15 grams of bait into the tunnel and cover the hole so light will not enter the tunnel system.

Make 2-3 bait placements per burrow system. Bury dead animals and spilled bait found on soil surface immediately. Maintain a constant supply of bait in the burrow system for as long as there is pocket gopher activity. Do not apply bait on the surface of soil.



The right and the wrong ways to use a probe for placing pocket gopher bait are shown. Bait should be placed loosely in the main runway - not in the laterals or embedded in the bottom of the runway. **Note:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations as necessary.

**USE LIMITATIONS:** Bait MUST either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics: 1) constructed of high-strength material (e.g., metal or injection molded plastic) and resistant to destruction by children and non-target animals; 2) entrance designed so that children and non-target animals cannot reach the bait; 3) internal structure that prevents bait from being shaken loose; 4) access panel which fastens securely and locks (e.g., metal screw or padlock); 5) capable of being securely fastened to a surface (e.g., nailed down); and, 6) clearly labelled: "WARNING POISON". (010710)